

THERE IS NO TRY – Technical Rider

Besetzung

1x Drums, 1x Bass, 2x Gitarren, 1x Mainvocals, 1x Backingvocals, 4x Samples

Drums

1x Bass Drum

1x Snare Drum

1x HiHat

3x Toms (2x hänge, 1x stand)

2x Crash Becken

1x China Becken

1x Ride Becken

Gitarren

Kemper Profiler + 2x12 Zilla Cabinet (Abgenommen über XLR DI-Out, keine Backline)

Kemper Profiler + 2x12 Palmer Cabinet (Abgenommen über XLR DI-Out, keine Backline)

Bass

Neural DSP Quad Cortex (Abgenommen über XLR DI-Out, keine Backline)

Vocals

Mainvocals: Shure Beta 58A*

Backingvocals (Bass): Sennheiser E835 S*

Backingtrack

Cymatic Audio uTrack 24 Backingtrack Player

1x Bassdrops -> XLR-Out

1x Drum Samples -> XLR-Out

1x String Samples -> XLR-Out

1x Other Samples -> XLR-Out

InEar Monitoring

Die Band verwendet ein eigenes InEar Monitoring, welches autark funktioniert und nur zwischen Mikrofone und FOH geschaltet werden muss.

Alle notwendigen Kabel dafür sind vorhanden.

Kanalbelegung

Ch	Instrument	Abnahme
1	Main Vocals	Shure Beta 58A
2	Backing Vocals	Sennheiser E835 S
3	Lead Guitar	Kemper Direct DI Out
4	Rhythm Guitar	Kemper Direct DI Out
5	Bass	Quad Cortex Direct DI Out
6	-	-
7	-	-
8	-	-
9	Bass Drum	Mic
10	Snare Drum	Mic
11	Overhead L	Mic
12	Overhead R	Mic
13	Tom 1	Mic
14	Tom 2	Mic
15	Tom 3	Mic
16	Hi-Hat	Mic
17	Bassdrops	uTrack 24 XLR Out
18	Drum Samples	uTrack 24 XLR Out

19	Strings	uTrack 24 XLR Out
20	Other Samples	uTrack 24 XLR Out

*Auf Wunsch kann die Band THERE IS NO TRY eigene Gesangsmikros stellen.